Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L208	53	client near type same adapter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 10:59
L209	9	client near type same adapter same (select\$3 determin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 11:08
L210	16	client near type same adapter same (select\$3 determin\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 10:59
L211	291	client same adapter same (select\$3 determin\$3) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 11:19
L212		client same ((select\$3 determin\$3) near adapter) same request	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/01/29 11:26
L214	15	client near request same ((select\$3 determin\$3) near adapter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 11:20
L215	9	212 not 214	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2008/01/29 11:22

L216	69	((select\$3 determin\$3) near adapter) same client	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2008/01/29 11:26
L217	45	216 not (212 214)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/29 11:27

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	34	adapter same (client near (program application)) same design\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:36
L5	3	adapter same xml same rmi same html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:36
L6	21	client adj adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:45
L7.	27	(select\$5 choos\$5 determin\$5) near client near (adaptor gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/29 08:45
L8	. 0	html same rmi same xml same (mobile adj device) same (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/29 08:45
L9	0	html with rmi with xml with (mobile adj device) with (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OŘ	ON	2008/01/29 08:45
L10	8	(common adj gateway adj interface) with adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/29 08:45

		LAST Scarc				
L11	0	(common adj gateway adj interface) near (client adj adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:47
L12	0	html with rmi with xml with (mobile adj device) with (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:47
L13	11	configur\$ near application with client near server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:47
L14	77	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:48
L15	27	(select\$5 choos\$5 determin\$5) near client near (adaptor gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:48
L16	0	html same rmi same xml same (mobile adj device) same (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:48
L17	0	(client adj request) near (communication) near (adapter)	USPAT	OR	ON	2008/01/29 08:49
L18	8	(common adj gateway adj interface) with adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:49
L19	21	client adj adaptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:49

		LAST Scarc	,			
L22	10	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:49
L23	5477	(common adj gateway adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:50
L24		L23 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:50
L25	477	(715/744).ccls.	USPAT	OR	ON	2008/01/29 08:50
L26	. 0	L25 and (client near server) near adaptor	USPAT	OR	ON	2008/01/29 08:50
L27	. 21	(select\$3 determin\$5 configur\$5) with communication near(method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:50
L28	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:50
L29	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:51
L30	60	(select\$3 determin\$5 configur\$5) near(method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:51
L31	121	(719/311).ccls.	USPAT	OR	ON	2008/01/29 08:51
L32	4559	(709/203).ccls.	USPAT	OR	ON	2008/01/29 08:51
L33	5	L32 and (client adj server) same adaptor	USPAT	OR	ON	2008/01/29 08:51

			•			
L34	16	L30 and (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:52
L35	8	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:52
L36	28	select\$4 near plurality near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:52
L37	27	L36 not L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:52
L38	0	(client adj request) near (communication with server) near (adaptor connect\$4 bond coupling fastener junction adapter device link)	USPAT	OR	ON	2008/01/29 08:52
L39	9	(select\$5 choos\$5 determin\$5) near client near (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:52
L40	0	L32 and (client adj request) near (communication with server) near (adaptor connect\$4 bond coupling fastener junction adapter device link)	USPAT	OR	ON	2008/01/29 08:53
L41	0	(select\$3 determin\$5 configur\$5) near communication near(method adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:53
L42	13	L32 and (client adj server) near communication near (adaptor connect\$4 bond coupling fastener junction adapter device link)	USPAT	OR	ON	2008/01/29 08:53

L43	216	client adj (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/29 08:53
L44	0	(common adj gateway adj interface) near (client adj (adaptor adapter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:54
L45		L32 and (client adj request) near (communication with server) near (adapter)	USPAT	OR	ON	2008/01/29 08:54
L46	0	(client adj request) near (communication with server) near (adapter)	USPAT	OR	ON	2008/01/29 08:54
L47	6	L20 and (wireless adj device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:54
L48	477	(715/744).ccls.	USPAT	OR	ON	2008/01/29 08:54
L49	54	L48 and (client adj request)	USPAT	OR	ON	2008/01/29 08:54
L50	7346	(709/203,206,230,322).ccls.	USPAT	OR	ON	2008/01/29 08:55
L51	0	L50 and(client adj request) near adaptor	USPAT	OR	ON	2008/01/29 08:55
L52	121	(719/311).ccls.	USPAT	OR	ON	2008/01/29 08:55
L53	28	L52 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:55
L54	0	L32 and (client adj server) near communication near (adapter)	USPAT	OR	ON	2008/01/29 08:55
L55	36	(select\$5 choos\$5 determin\$5) near client near (adaptor adapter gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:55
L56	16	L32 and (client adj server) with adapter	USPAT	OR	ON	2008/01/29 08:55
L57	0	L48 and (client near adapter)	USPAT	OR	ON	2008/01/29 08:55

L58	0	(select\$3 determin\$5 configur\$5) near communication near(adapter) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:56
L72	256	L50 and adapter and (client near server) with communication	USPAT	OR .	ON	2008/01/29 08:59
L73	0	(common adj gateway adj interface) near (client adj (adapter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:59
L74	0	(common adj gateway adj interface) near (client adj (adapter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 08:59
L75	0	L25 and (client near adaptor)	USPAT	OR	ON	2008/01/29 08:59
L76	5	L32 and (client adj server) same communication near (adapter)	USPAT	OR	ON	2008/01/29 09:00
L77	0	(select\$3 determin\$5 configur\$5) near communication near(method adatper adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:00
L78	10	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:00
L79	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:00
L80	0	html with rmi with xml with (mobile adj device) with (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:00
L81	121	(719/311).ccls.	USPAT	OR	ON	2008/01/29 09:01

L82	1	L50 and (client adj request) near	USPAT	OR	ON	2008/01/29 09:01
		(adapter)				
L83	12	(common adj gateway adj interface) with (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:01
L84	121	(719/311).ccls.	USPAT	OR	ON	2008/01/29 09:01
L85 .	28	L84 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:01
L86	77	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:02
L87	1	L50 and(client adj request) near adapter	USPAT	OR	ON	2008/01/29 09:02
L88	0	html same rmi same xml same (mobile adj device) same (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:02
L89	48	L32 and (client adj server) same adapter	USPAT	OR	ON	2008/01/29 09:02
L90	21	(select\$3 determin\$5 configur\$5) with communication near(method adapter adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:02
L93	0	(select\$3 determin\$5 configur\$5) near(adapter) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:03
L95	4139	adapter near type	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 09:03
L96	6280	client near type	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 09:03

L97	. 67	L95 and L96	US-PGPUB; USPAT;	OR	ON	2008/01/29 09:03
			USOCR			
L98	62	L97 and select\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 09:03
L103	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:04
L104	0	L48 and (client near server) near (adapter adaptor)	USPAT	OR	ON	2008/01/29 09:04
L106	60	(select\$3 determin\$5 configur\$5) near(method adapter adaptor protocol interface) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:04
L107		html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:04
L108	6	L107 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:04
L109	0	(select\$3 determin\$5 configur\$5) with communication near(adapter) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:05
L110	5	(common adj gateway adj interface) with (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:05
L111		html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:05

L112	0	(client adj request) near (communication with server) near (adaptor connect\$4 bond coupling fastener junction adapter device link)	USPAT	OR	ON	2008/01/29 09:05
L113	. 10	(common adj gateway adj interface) with (client adj request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:05
L114	0	(common adj gateway adj interface) near (client adj (adapter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:05
L115	477	(715/744).ccls.	USPAT	OR	ON	2008/01/29 09:06
L116	86	L115 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2008/01/29 09:06
L117	. 0	(client adj request) near (communication with server) near (adaptor connect\$4 bond coupling fastener junction adapter device link)	IBM_TDB USPAT	OR	ON	2008/01/29 09:06
L118	77	configur\$ near application with client with server with communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/29 09:06
L119	216	client adj (adaptor adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:06
L122	0	html with rmi with xml with (mobile adj device) with (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:07

		EAST Scare	,			
L123		(common adj gateway adj interface) with html with rmi with xml with (mobile adj device) with (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:07
L124	5477	(common adj gateway adj interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:07
L125	2	L124 and L118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:07
L126	36	(select\$5 choos\$5 determin\$5) near client near (adaptor adapter gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:07
L127		(select\$5 choos\$5 determin\$5) near client near (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:08
L128	. 0	html same rmi same xml same (mobile adj device) same (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:08
L129	6	L124 and L119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:08
L130	0	(client adj request) near (communication with server) near (adapter)	USPAT	OR	ON	2008/01/29 09:08
L131	0	(select\$3 determin\$5 configur\$5) with communication near(adapter) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:08

	·					,
L132	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:08
L133	0	(common adj gateway adj interface) near (client adj (adaptor adapter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:09
L134	5	(common adj gateway adj interface) with (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:09
L135		client adj adapter with select\$4 with (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:09
L136	20	adapter near client near server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:09
L137	0	(select\$3 determin\$5 configur\$5) near(adapter) near (client adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:09
L138	_ 202	client adj (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:10
L139	135	L138 and select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:10

L140	63	L139 and (html rmi javascript xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/29 09:10
L141	139	L138 not L140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:10
L142	63	L139 and (html rmi javascript xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:10
L143	135	L138 and select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:10
L144	477	(715/744).ccls.	USPAT	OR	ON	2008/01/29 09:11
L145	86	L144 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2008/01/29 09:11
L153		adapter near select\$4 near (method apparatus system) same (client server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:11
L154	50	adapter near select\$4 near (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/29 09:12
L155	46	L154 not L153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:12

			•			
L157		select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:58
L158	28	select\$4 near plurality near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:12
L159	27	L158 not L157	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:12
L160	8	select\$4 near client near (adapter adaptor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:12
L162	50	adapter near select\$4 near (method apparatus system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:13
L165	86	L144 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:14
L167	2	(client adj request) with (browser near version)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/01/29 09:14
L169	1	html same rmi same xml same (mobile adj device) same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:15
L172	1	09/760333	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:15

<u></u>	· · · · · · · · · · · · · · · · · · ·		Т		T	
L173	0	L172 and (wireless adj device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:15
L174	0	web near client near adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:15
L176	37	web near client with adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:16
L177	8	client near adapter with select\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/29 09:16
L178	28	L52 and (adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:16
L181	. 93	L52 not L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:16
L182	0	L20 and ((mobile adj device) with adapter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:23
L184	2	L167 and (javascript html rmi xml)	US-PGPUB; USPAT; DERWENT	OR	ON	2008/01/29 09:24
L185	7	L20 and (html rmi xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:24

L187	391	L144 not L145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:25
L188	93	L52 not L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:25
L190	0	L172 and mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:25
L191	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:25
L192	9	html same rmi same xml same (javascript)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:25
L194	0	(common adj gateway adj interface) with html with rmi with xml with (mobile adj device) with (java adj script)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/29 09:26